SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION BULLETIN

Nos 218–223 February 2003 – December 2003

SUBJECT INDEX

abdominal pain, 839, 848, 853
acne, 848
adenocarcinoma
  colon, 849
adverse drug reactions in athletes, 847–850
adverse effects of pharmaceutical
    excipients, 851–854
adverse reactions to and safety of newer disease-
    modifying antirheumatic drugs for rheumatoid
    arthritis, 855–858
adverse reactions to drugs used in
    mental health, 839–842
aggression, 848
agranulocytosis, 841
akathisia, 840
akinesia, 840
alopecia, 840, 857
anaemia, 848, 855, 857
anaphylaxis, 853, 855
angioedema, 853
anorgasmia, 839
anxiety, 839, 840
aplastic anaemia, 840
arrhythmia, 839, 845
aspergillosis, 856
asthma, 853
ataxia, 840
atrial fibrillation, 853
avascular necrosis
  femur, 848
bone marrow suppression, 836
breast size,
  reduction, 848
cachexia, 855
cardiac failure, 843, 845
cardiomyopathy, 841, 844, 845
cerebral haemorrhage, 848
cheilitis, 853
coccidiomycosis, 856
cognitive impairment, 841
confusion, 840
constipation, 839, 840, 841
coronary artery disease, 835, 837
creatinine kinase
  raised, 840
Davies, David Margerison
  obituary, 842
dental caries, 852
dermatitis, 853, 856
diabetes mellitus, 837, 841, 852
diarrhoea, 840, 848, 851, 852, 853, 857
diplopia, 840
discontinuation reactions, 839–840
dizziness, 840, 857
drug-induced cardiac failure, 843–846
dry mouth, 839, 840, 841
dyspnoea, 843, 855
dystonia, 840
eczema, 853
endophthalmitis
  Candida, 849
eosinophilia, 853
erythema multiforme, 853
extrapyramidal symptoms, 840
fatigue 843, 847, 848, 855
flatulence, 853
galactorrhoea, 841
gastric rupture, 848
gastrointestinal
  disturbance, 840
  haemorrhage, 839
  obstruction, 841
granulomatous panniculitis, 853
gynaecomastia, 841, 848
headache, 839, 840, 852, 855, 857
heart failure, 843–845, 856
hepatitis
  peliosis, 849
hepatoma, 849
hepatotoxicity, 840, 856, 857
hirsutism, 848
hypercholesterolaemia, 837
hyperglycaemia, 841, 848
hyperkalaemia, 843, 847
hyperkinesis, 853
hyperlipidaemia, 835, 837, 849
hyperostosis, 848
hyperprolactinaemia, 839, 841
hypersalivation, 841
hypersensitivity, 852, 853
hypertension, 840, 843, 844, 847–849, 857
hyperthermia, 840, 848, 849
hypertonia, 852
hypoglycaemia, 851

hypogonadotrophic hypogonadism, 848
hyponatraemia, 839, 840
hypotension, 840, 841, 844, 847, 855
  postural, 839, 841
hypothyroidism, 840
impotence, 839
infection, 857
  Candida, 856
  Cryptococcus neoformans, 856
  Histoplasma capsulatum, 856
  Listeria monocytogenes, 856
  Nocardia, 856
  Pneumocystis jiroveci, 856
insomnia, 839, 840, 852, 853
insulin resistance, 835, 836, 837
jaundice, 848
  cholestatic, 841
joint pain, 855
kernicterus, 853
lactic acidosis, 836
Launois–Bensaude syndrome, 835
left ventricular dysfunction, 844–845
leucopenia, 841
libido
  decreased, 839
lipoatrophy, 835–837
lipodystrophy associated with treatment of HIV-1 infection, 835–838
lipodystrophy syndrome, 835–836
lipomatosis, 835
lymphoma, 856
Madelung's syndrome, 835
melanoma, 856
meningitis, 856
  aseptic, 856
metabolic 'syndrome X', 835
muscle cramps, 848
myocarditis, 841, 845
myopathy, 836
naevi, 848
nausea, 839, 840, 853, 855, 857
nervousness, 839
neuroleptic malignant syndrome, 840, 841
neuropathy, 836
neutropenia, 841, 857
oedema, 840, 843, 844, 847, 848
oesophageal reflux, 848
oligomenorrhoea, 848
opisthotonus, 852
optic neuritis, 856
pancreatitis, 836, 840
pancytopenia, 857
paraesthesia, 840
photosensitivity reactions, 841
pneumonia, 857
polyuria, 840
priapism, 840, 849
prostate
  cancer, 849
  enlargement, 849
  malignancy, 849
pruritus, 853, 855, 857
psychosis, 848
pulmonary
  embolus, 847
  oedema, 844
QT prolongation, 841
rash, 840, 841, 857
  papular, 853
red-cell aplasia, 849
rhabdomyolysis, 848
rhinitis, 853
rigors, 855
schizophrenia, 841, 845, 848
sedation, 839, 840, 841
seizures, 840, 841, 856
septicaemia, 856
sinusitis, 856
skin
  irritation, 851
squamous cell carcinoma, 856
Stevens–Johnson syndrome, 840
strabisimus, 852
striae, 848
stroke, 848
sweating, 839, 840
syncope, 853
systemic lupus erythematosus, 856
tachyarrhythmia, 845
tachycardia, 844, 847, 853
tardive dyskinesia, 840, 841
tendon rupture, 848
teratogenesis, 840, 852
thrombocytopenia, 840
torsade de pointes, 841
tremor, 840
tuberculosis, 856–857
tumour necrosis factor, 855
urinary
  hesitancy, 840
  retention, 839, 841
urticaria, 853, 855
vasculitis, 853, 856
vision blurred, 839
vomiting, 839, 853
weight gain, 839, 840, 841
weight loss, 840, 855, 857
wheezing, 853
Wilms's tumour, 849

DRUG INDEX

A capital initial letter indicates a proprietary name, chemical name, or abbreviation. The symbol ® also indicates a proprietary preparation

β-adrenoceptor antagonists, 844
abacavir, 836, 837
acacia, 852
adalimumab, 855, 856
aluminum magnesium silicate, 852
amiodarone, 845
amisulpride, 841
amitriptyline, 839
amlodipine, 844
anabolic steroids, 847–849
anakinra, 855, 857
androstenedione, 849
anthracyclines, 845
Arava®, 855
aspartame, 852, 853
astemizole, 845
atazanavir, 837
beeswax, 852
bentonite, 852
benzalkonium chloride, 852
benzyl alcohol, 853
bicarbonate, 848, 852
brilliant blue, 852
caffeine, 847, 848
carbamazepine, 840
carbenoxolone, 844
carbon dioxide, 852
carboplatin, 845
cellulose acetate phthalate, 852
cetrimonium bromide, 852
chlorpromazine, 841
chlortalidone, 844
citric acid, 852
clenbuterol, 847, 848
clozapine, 841, 845
cortisone, 844
Crixivan®, 835
cyclamate, 852, 853
cyclophosphamide, 845
dextrose, 852
dichloralphenazone, 842
didanosine, 836
digoxin, 845
diltiazem, 844, 848
doxazosin, 844
drug interaction
  aspirin/SSRIs, 839
  leflunomide/methotrexate, 857
E102. *See* tartrazine
E104. *See* quinoline yellow
E110. *See* sunset yellow
E127. *See* erythrosine
E133. *See* brilliant blue
E200. *See* sorbic acid
E414. *See* acacia
E420. *See* sorbitol
E421. *See* mannitol
E445. *See* glycerol
E558. *See* bentonite
E901. *See* beeswax
E951. *See* aspartame
E952. *See* cyclamate
E954. *See* saccharin
E967. *See* xylitol
Enbrel®, 855
ephedrine, 840, 847, 848
epirubicin, 845
erythromycin, 845
erythropoietin, 847, 849
erythrosine, 852, 853
ethanol, 844, 851, 852
ethchlorvynol, 842
fast green, 852
flecanide, 845
fludrocortisone, 844
fluorescein, 852, 853
fluorouracil, 845
fluoxetine, 839
fructose, 852
furosemide, 842
gamma-hydroxybutyrate, 848
gelatin, 851, 852, 853
gluten, 852
glycerol, 851, 852
glycol, 851
glycyrrhizic acid, 844
Herceptin®, 845
hydrocortisone, 844
ifosfamide, 845
indinavir, 835, 836
infliximab, 855–858
insulin, 836, 848
interferon
  α, 844, 845
  β, 845
  γ, 845

isocarboxazid, 840
Kineret[R], 855
lactose, 852, 853
lamivudine, 836
lanolin, 852
leflunomide, 855, 857
lidocaine, 845
lithium, 840, 848
mannitol, 852
menthol, 853
methotrexate, 855, 856, 857
mirtazapine, 840
moclobemide, 840
nevirapine, 837
nifedipine, 844
nitrogen, 852
non-steroidal anti-inflammatory drugs, 843, 844, 847, 848
norfloxacin, 848
Norvir[R], 851
NSAIDs. *See* non-steroidal anti-inflammatory drugs
olanzapine, 841
paclitaxel, 845
parabens, 852
paroxetine, 839
peppermint oil, 853
phenelzine, 840
phloxine B, 852
pioglitazone, 844
polyethylene glycol, 843
polyvinyl acetate phthalate, 852
prednisolone, 844
procainamide, 842, 845
propofol, 845
pseudoephedrine, 847, 848
quetiapine, 841
quinidine, 839, 841, 845
quinoline yellow, 852
reboxetine, 840
recombinant interleukin 2, 845
Remicade[R], 855
risperidone, 841
ritonavir, 837
rosiglitazone, 844
saccharin, 852, 853
shellac, 852
sodium lauryl sulfate, 852
sorbic acid, 852
sorbitol, 851, 852, 853
sotalol, 845
spironolactone, 847
stanozolol, 848
stavudine, 836, 837
sucrose, 851–853
sunset yellow, 852, 853
tartrazine, 852, 853
tenofovir, 836, 837
terfenadine, 845
thimerosal. See thiomersal
thiomersal, 852, 853
thioridazine, 841, 845
timolol, 847
tranylcypromine, 840
trastuzumab, 845
trazodone, 840
tricyclic antidepressants, 839
troglitazone, 844
valproate, 840
Vaseline[R], 852
venlafaxine, 840
verapamil, 844
vitamin A, 848
warfarin, 842
water, 851
xylitol, 852
zalcitabine, 836
zidovudine, 836